ELSEVIER

Hearing Research 83/1,2 (1995) 209–210

HEARING RESEARCH

Author Index

Altschuler, R.A., see Nair, T.S. (83) 101
Ando, M., see Takeuchi, S. (83) 89

Bajo, V.M., Rouiller, E.M., Welker, E., Clarke, S., Villa, A.E.P., De Ribaupierre, Y. and De Ribaupierre, F.
Morphology and spatial distribution of corticothalamic terminals originating from the cat auditory cortex (83) 161
Battista Azzena, G., Conti, G., Santarelli, R., Ottaviani, F., Paludetti, G. and Maurizi, M.
Generation of human auditory steady-state responses (SSRs). I: Stimulus rate effects (83) 1
Bledsoe, Jr., S.C., see Goldsmith, J.D. (83) 80
Bone, H.G., see Monsell, E.M. (83) 114
Borg, E. and Viberg, A.
Extra inner hair cells: Prevalence and noise susceptibility (83) 175
Brahmbhatt, V.R., see Nair, T.S. (83) 101

Carey, T.E., see Nair, T.S. (83) 101
Chang, S.-H., see Condon, C.J. (83) 190
Clarke, S., see Bajo, V.M. (83) 161
Cody, D.D., see Monsell, E.M. (83) 114
Condon, C.J., Chang, S.-H. and Feng, A.S.
Classification of the temporal discharge patterns of single auditory neurons in the frog superior olivary nucleus (83) 190
Conti, G., see Battista Azzena, G. (83) 1
Conti, G., see Santarelli, R. (83) 9

De Ribaupierre, F., see Bajo, V.M. (83) 161
De Ribaupierre, Y., see Bajo, V.M. (83) 161
Divine, G.W., see Monsell, E.M. (83) 114
Dolan, D.F., see Nair, T.S. (83) 101
Doucet, J.R., see Relkin, E.M. (83) 183
Drescher, D.G., see Foster, J.D. (83) 203
Drescher, M.J., see Foster, J.D. (83) 203

Feng, A.S., see Condon, C.J. (83) 190
Foster, J.D., Drescher, M.J. and Drescher, D.G.
Immunohistochemical localization of $GABA_A$ receptors in the mammalian crista ampullaris (83) 203
Frank, G. and Kössl, M.
The shape of $2f_1-f_2$ suppression tuning curves reflects basilar membrane specializations in the mustached bat, *Pteronotus parnellii* (83) 151
Fujimoto, S., see Sagara, T. (83) 121
Furukawa, H., see Sagara, T. (83) 121

Ganjei, G., see Nair, T.S. (83) 101
Goldsmith, J.D., Kujawa, S.G., McLaren, J.D. and Bledsoe, Jr., S.C.
In vivo release of neuroactive amino acids from the inferior colliculus of the guinea pig using brain microdialysis (83) 80
Gratton, M.A., Smyth, B.J., Schulte, B.A. and Vincent, Jr., D.A.
Na,K-ATPase activity decreases in the cochlear lateral wall of quiet-aged gerbils (83) 43
Gummer, A.W., see Morioka, I. (83) 142

Hemmert, W., see Morioka, I. (83) 142
Heynert, S., see Richter, C.-P. (83) 19
Hou, X., see Nair, T.S. (83) 101

Irimajiri, A., see Takeuchi, S. (83) 89

Jacobson, G.P., see Monsell, E.M. (83) 114

Kitano, I., Mori, N. and Matsunaga, T.
Role of endolymphatic anion transport in forskolin-induced Cl^- activity increase of scala media (83) 37
Klinke, R., see Richter, C.-P. (83) 19
Kössl, M., see Frank, G. (83) 151
Kozakura, K., see Takeuchi, S. (83) 89
Kujawa, S.G., see Goldsmith, J.D. (83) 80

Lambert, P.R., see Ryals, B.M. (83) 51
Lowe, M. and Robertson, D.
The behaviour of the f_2-f_1 acoustic distortion product: Lack of effect of brainstem lesions in anaesthetized guinea pigs (83) 133

Makishima, K., see Sagara, T. (83) 121
Matsunaga, T., see Kitano, I. (83) 37
Maurizi, M., see Battista Azzena, G. (83) 1
Maurizi, M., see Santarelli, R. (83) 9
McLaren, J.D., see Goldsmith, J.D. (83) 80
Monsell, E.M., Cody, D.D., Bone, H.G., Divine, G.W., Windham, J.P., Jacobson, G.P., Newman, C.W. and Patel, S.C.
Hearing loss in Paget's disease of bone: The relationship between pure-tone thresholds and mineral density of the cochlear capsule (83) 114
Mori, N., see Kitano, I. (83) 37
Morioka, I., Reuter, G., Reiss, P., Gummer, A.W., Hemmert, W. and Zenner, H.-P.
Sound-induced displacement responses in the plane of the organ of Corti in the isolated guinea-pig cochlea (83) 142

Nair, T.S., Raphael, Y., Dolan, D.F., Parrett, T.J., Perlman, L.S., Brahmbhatt, V.R., Wang, Y., Hou, X., Ganjei, G., Nuttall, A.L., Altschuler, R.A. and Carey, T.E.
Monoclonal antibody induced hearing loss (83) 101
Nariuchi, H., see Sone, M. (83) 26
Newman, C.W., see Monsell, E.M. (83) 114
Nuttall, A.L., see Nair, T.S. (83) 101

Ottaviani, F., see Battista Azzena, G. (83) 1
Ottaviani, F., see Santarelli, R. (83) 9

Paludetti, G., see Battista Azzena, G. (83) 1
Paludetti, G., see Santarelli, R. (83) 9
Parrett, T.J., see Nair, T.S. (83) 101
Patel, S.C., see Monsell, E.M. (83) 114
Perlman, L.S., see Nair, T.S. (83) 101
Pettorossi, V.E., see Santarelli, R. (83) 9

Raphael, Y., see Nair, T.S. (83) 101
Reiss, P., see Morioka, I. (83) 142
Relkin, E.M., Doucet, J.R. and Sterns, A.
Recovery of the compound action potential following prior stimulation: Evidence for a slow component that reflects recovery of low spontaneous-rate auditory neurons (83) 183
Reuter, G., see Morioka, I. (83) 142
Richter, C.-P., Heynert, S. and Klinke, R.
Rate-intensity-functions of pigeon auditory primary afferents (83) 19
Robertson, D., see Lowe, M. (83) 133
Rouiller, E.M., see Bajo, V.M. (83) 161
Ryals, B.M., Stalford, M.D., Lambert, P.R. and Westbrook, E.W.
Recovery of noise-induced changes in the dark cells of the quail tegmentum vasculosum (83) 51

Sagara, T., Furukawa, H., Makishima, K. and Fujimoto, S.
Differentiation of the rat stria vascularis (83) 121
Saito, H., see Takeuchi, S. (83) 89
Saito, K., see Sone, M. (83) 26
Santarelli, R., Maurizi, M., Conti, G., Ottaviani, F., Paludetti, G. and Pettorossi, V.E.
Generation of human auditory steady-state responses (SSRs). II: Addition of responses to individual stimuli (83) 9
Santarelli, R., see Battista Azzena, G. (83) 1
Schulte, B.A., see Gratton, M.A. (83) 43
Smyth, B.J., see Gratton, M.A. (83) 43
Sone, M., Nariuchi, H., Saito, K. and Yanagita, N.
A substrain of NZB mouse as an animal model of autoimmune inner ear disease (83) 26
Stalford, M.D., see Ryals, B.M. (83) 51
Sterns, A., see Relkin, E.M. (83) 183

Takeuchi, S., Ando, M., Kozakura, K., Saito, H. and Irimajiri, A.
Ion channels in basolateral membrane of marginal cells dissociated from gerbil stria vascularis (83) 89

Viberg, A., see Borg, E. (83) 175
Villa, A.E.P., see Bajo, V.M. (83) 161
Vincent, Jr., D.A., see Gratton, M.A. (83) 43

Wang, Y., see Nair, T.S. (83) 101
Welker, E., see Bajo, V.M. (83) 161
Westbrook, E.W., see Ryals, B.M. (83) 51
Windham, J.P., see Monsell, E.M. (83) 114

Yanagita, N., see Sone, M. (83) 26

Zenner, H.-P., see Morioka, I. (83) 142

ELSEVIER

Hearing Research 83/1,2 (1995) 211–213

HEARING RESEARCH

Subject Index

Acoustic distortion products
Micromechanics; Olivocochlear efferents; Brainstem lesions (Lowe, M. (83) 133)

Adaptation
Middle latency response; Steady-state response; Repetition rate; Auditory system (Battista Azzena, G. (83) 1)

Auditory nerve; Chinchilla; Compound action potential; Forward masking; Recovery (Relkin, E.M. (83) 183)

Aging
Na,K-ATPase; Stria vascularis; Organ of Corti; Gerbil; Ion transport (Gratton, M.A. (83) 43)

Amino acids
Neurotransmitter; GABA; Glycine; Glutamate (Goldsmith, J.D. (83) 80)

Anterograde tracer
Cat; Auditory cortex; Medial geniculate body; Biocytin (Bajo, V.M. (83) 161)

Apical tubule
Stria vascularis; Differentiation; Epithelial-mesenchymal interaction; Marginal cell; $Na^+ \cdot K^+$ ATPase (Sagara, T. (83) 121)

Auditory
Frog; Firing pattern; Brainstem (Condon, C.J. (83) 190)

Auditory brainstem responses
Monoclonal antibodies; Supporting cells; Stereocilia; Mice (Nair, T.S. (83) 101)

Auditory cortex
Cat; Medial geniculate body; Biocytin; Anterograde tracer (Bajo, V.M. (83) 161)

Auditory nerve
Adaptation; Chinchilla; Compound action potential; Forward masking; Recovery (Relkin, E.M. (83) 183)

Auditory nerve fibre
Rate-intensity function; Nonlinearity; Pigeon (Richter, C.-P. (83) 19)

Auditory system
Middle latency response; Steady-state response; Repetition rate; Adaptation (Battista Azzena, G. (83) 1)

Middle latency responses; 40 Hz steady-state responses; Resonant frequency (Santarelli, R. (83) 9)

Autoimmune mouse
Stria vascularis; Capillary basement membrane; Hearing dysfunction (Sone, M. (83) 26)

Basilar membrane
Oto-acoustic emission; Distortion products; $2f_1-f_2$; Suppression; Tuning curves (Frank, G. (83) 151)

Behavioral audiometry
Cochlear capsule; Bone mineral density; Paget's disease; Conductive hearing loss (Monsell, E.M. (83) 114)

Biocytin
Cat; Auditory cortex; Medial geniculate body; Anterograde tracer (Bajo, V.M. (83) 161)

Bird
Hair cells; Regeneration; Tegmentum vasculosum (Ryals, B.M. (83) 51)

Bone mineral density
Cochlear capsule; Paget's disease; Behavioral audiometry; Conductive hearing loss (Monsell, E.M. (83) 114)

Brainstem
Frog; Auditory; Firing pattern (Condon, C.J. (83) 190)

Brainstem lesions
Acoustic distortion products; Micromechanics; Olivocochlear efferents (Lowe, M. (83) 133)

Capillary basement membrane
Autoimmune mouse; Stria vascularis; Hearing dysfunction (Sone, M. (83) 26)

Cat
Auditory cortex; Medial geniculate body; Biocytin; Anterograde tracer (Bajo, V.M. (83) 161)

Chinchilla
Auditory nerve; Adaptation; Compound action potential; Forward masking; Recovery (Relkin, E.M. (83) 183)

Cl^- channel
$Na^+/K^+/2Cl^-$ cotransport; Cl^-/HCO_3^- exchange; Endolymph homeostasis; Forskolin; Endocochlear potential (Kitano, I. (83) 37)

Marginal cell; Ion transport; Nonselective cation channel (Takeuchi, S. (83) 89)

Cl^-/HCO_3^- exchange
Cl^- channel; $Na^+/K^+/2Cl^-$ cotransport; Endolymph homeostasis; Forskolin; Endocochlear potential (Kitano, I. (83) 37)

Cochlea
Rabbit; Morphology; Scanning electronmicroscopy (Borg, E. (83) 175)

Cochlear capsule
Bone mineral density; Paget's disease; Behavioral audiometry; Conductive hearing loss (Monsell, E.M. (83) 114)

Compound action potential
Auditory nerve; Adaptation; Chinchilla; Forward masking; Recovery (Relkin, E.M. (83) 183)

Conductive hearing loss
Cochlear capsule; Bone mineral density; Paget's disease; Behavioral audiometry (Monsell, E.M. (83) 114)

Crista ampullaris
Hair cells, type I and II; Vestibule; Immunohistochemistry (Foster, J.D. (83) 203)

Differentiation
Stria vascularis; Epithelial-mesenchymal interaction; Marginal cell; Apical tubule; $Na^+ \cdot K^+$ ATPase (Sagara, T. (83) 121)

Distortion products
Oto-acoustic emission; $2f_1-f_2$; Suppression; Tuning curves; Basilar membrane (Frank, G. (83) 151)

Endocochlear potential
Cl^- channel; $Na^+/K^+/2Cl^-$ cotransport; Cl^-/HCO_3^- exchange; Endolymph homeostasis; Forskolin (Kitano, I. (83) 37)

Endolymph homeostasis
Cl^- channel; $Na^+/K^+/2Cl^-$ cotransport; Cl^-/HCO_3^- exchange; Forskolin; Endocochlear potential (Kitano, I. (83) 37)

Epithelial-mesenchymal interaction
Stria vascularis; Differentiation; Marginal cell; Apical tubule; $Na^+ \cdot K^+$ ATPase (Sagara, T. (83) 121)

$2f_1-f_2$
Oto-acoustic emission; Distortion products; Suppression; Tuning curves; Basilar membrane (Frank, G. (83) 151)

Firing pattern
Frog; Auditory; Brainstem (Condon, C.J. (83) 190)

Forskolin
Cl^- channel; $Na^+/K^+/2Cl^-$ cotransport; Cl^-/HCO_3^- exchange; Endolymph homeostasis; Endocochlear potential (Kitano, I. (83) 37)

Forward masking
Auditory nerve; Adaptation; Chinchilla; Compound action potential; Recovery (Relkin, E.M. (83) 183)

Frequency selectivity
Organ of Corti; Outer hair cell; Vibration; Temporal-bone preparation (Morioka, I. (83) 142)

Frog
Auditory; Firing pattern; Brainstem (Condon, C.J. (83) 190)

GABA
Neurotransmitter; Amino acids; Glycine; Glutamate (Goldsmith, J.D. (83) 80)

Gerbil
Na,K-ATPase; Stria vascularis; Organ of Corti; Aging; Ion transport (Gratton, M.A. (83) 43)

Glutamate
Neurotransmitter; Amino acids; GABA; Glycine (Goldsmith, J.D. (83) 80)

Glycine
Neurotransmitter; Amino acids; GABA; Glutamate (Goldsmith, J.D. (83) 80)

Hair cells
Bird; Regeneration; Tegmentum vasculosum (Ryals, B.M. (83) 51)

Hair cells, type I and II
Vestibule; Crista ampullaris; Immunohistochemistry (Foster, J.D. (83) 203)

Hearing dysfunction
Autoimmune mouse; Stria vascularis; Capillary basement membrane (Sone, M. (83) 26)

40 Hz steady-state responses
Middle latency responses; Resonant frequency; Auditory system (Santarelli, R. (83) 9)

Immunohistochemistry
Hair cells, type I and II; Vestibule; Crista ampullaris (Foster, J.D. (83) 203)

Ion transport
Na,K-ATPase; Stria vascularis; Organ of Corti; Aging; Gerbil (Gratton, M.A. (83) 43)

Marginal cell; Nonselective cation channel; Cl^- channel (Takeuchi, S. (83) 89)

Marginal cell
Ion transport; Nonselective cation channel; Cl^- channel (Takeuchi, S. (83) 89)

Stria vascularis; Differentiation; Epithelial-mesenchymal interaction; Apical tubule; $Na^+ \cdot K^+$ ATPase (Sagara, T. (83) 121)

Medial geniculate body
Cat; Auditory cortex; Biocytin; Anterograde tracer (Bajo, V.M. (83) 161)

Mice
Monoclonal antibodies; Supporting cells; Stereocilia; Auditory brainstem responses (Nair, T.S. (83) 101)

Micromechanics
Acoustic distortion products; Olivocochlear efferents; Brainstem lesions (Lowe, M. (83) 133)

Middle latency response
Steady-state response; Repetition rate; Adaptation; Auditory system (Battista Azzena, G. (83) 1)

Middle latency responses
40 Hz steady-state responses; Resonant frequency; Auditory system (Santarelli, R. (83) 9)

Monoclonal antibodies
Supporting cells; Stereocilia; Auditory brainstem responses; Mice (Nair, T.S. (83) 101)

Morphology
Rabbit; Cochlea; Scanning electronmicroscopy (Borg, E. (83) 175)

Na,K-ATPase
Stria vascularis; Organ of Corti; Aging; Gerbil; Ion transport (Gratton, M.A. (83) 43)

$Na^+ \cdot K^+$ ATPase
Stria vascularis; Differentiation; Epithelial-mesenchymal interaction; Marginal cell; Apical tubule (Sagara, T. (83) 121)

$Na^+/K^+/2Cl^-$ cotransport
Cl^- channel; Cl^-/HCO_3^- exchange; Endolymph homeostasis; Forskolin; Endocochlear potential (Kitano, I. (83) 37)

Neurotransmitter
Amino acids; GABA; Glycine; Glutamate (Goldsmith, J.D. (83) 80)

Nonlinearity
Auditory nerve fibre; Rate-intensity function; Pigeon (Richter, C.-P. (83) 19)

Nonselective cation channel
Marginal cell; Ion transport; Cl^- channel (Takeuchi, S. (83) 89)

Olivocochlear efferents
Acoustic distortion products; Micromechanics; Brainstem lesions (Lowe, M. (83) 133)

Organ of Corti
Na,K-ATPase; Stria vascularis; Aging; Gerbil; Ion transport (Gratton, M.A. (83) 43)

Outer hair cell; Vibration; Frequency selectivity; Temporal-bone preparation (Morioka, I. (83) 142)

Oto-acoustic emission
Distortion products; $2f_1-f_2$; Suppression; Tuning curves; Basilar membrane (Frank, G. (83) 151)

Outer hair cell
Organ of Corti; Vibration; Frequency selectivity; Temporal-bone preparation (Morioka, I. (83) 142)

Paget's disease
Cochlear capsule; Bone mineral density; Behavioral audiometry; Conductive hearing loss (Monsell, E.M. (83) 114)

Pigeon
Auditory nerve fibre; Rate-intensity function; Nonlinearity (Richter, C.-P. (83) 19)

Rabbit
Cochlea; Morphology; Scanning electronmicroscopy (Borg, E. (83) 175)

Rate-intensity function
Auditory nerve fibre; Nonlinearity; Pigeon (Richter, C.-P. (83) 19)

Recovery
Auditory nerve; Adaptation; Chinchilla; Compound action potential; Forward masking (Relkin, E.M. (83) 183)

Regeneration
Bird; Hair cells; Tegmentum vasculosum (Ryals, B.M. (83) 51)

Repetition rate
Middle latency response; Steady-state response; Adaptation; Auditory system (Battista Azzena, G. (83) 1)

Resonant frequency
Middle latency responses; 40 Hz steady-state responses; Auditory system (Santarelli, R. (83) 9)

Scanning electronmicroscopy
Rabbit; Cochlea; Morphology (Borg, E. (83) 175)

Steady-state response
Middle latency response; Repetition rate; Adaptation; Auditory system (Battista Azzena, G. (83) 1)

Stereocilia
Monoclonal antibodies; Supporting cells; Auditory brainstem responses; Mice (Nair, T.S. (83) 101)

Stria vascularis
Autoimmune mouse; Capillary basement membrane; Hearing dysfunction (Sone, M. (83) 26)

Na,K-ATPase; Organ of Corti; Aging; Gerbil; Ion transport (Gratton, M.A. (83) 43)

Differentiation; Epithelial-mesenchymal interaction; Marginal cell; Apical tubule; $Na^+ \cdot K^+$ ATPase (Sagara, T. (83) 121)

Supporting cells
Monoclonal antibodies; Stereocilia; Auditory brainstem responses; Mice (Nair, T.S. (83) 101)

Suppression
Oto-acoustic emission; Distortion products; $2f_1-f_2$; Tuning curves; Basilar membrane (Frank, G. (83) 151)

Tegmentum vasculosum
Bird; Hair cells; Regeneration (Ryals, B.M. (83) 51)

Temporal-bone preparation
Organ of Corti; Outer hair cell; Vibration; Frequency selectivity (Morioka, I. (83) 142)

Tuning curves
Oto-acoustic emission; Distortion products; $2f_1-f_2$; Suppression; Basilar membrane (Frank, G. (83) 151)

Vestibule
Hair cells, type I and II; Crista ampullaris; Immunohistochemistry (Foster, J.D. (83) 203)

Vibration
Organ of Corti; Outer hair cell; Frequency selectivity; Temporal-bone preparation (Morioka, I. (83) 142)